

Technical Rider

Company : Renegade Theatre
Production : Streetlife

Stage Settings

Dimensions : nominal 14 m width 12 m depth
minimal contact manager
height to truss system 5m

Technical Specification

Audio

PA : high quality soundsystem minimum Nexo PS15 & SUB or similar
(EAW ; Meyer ; DB) EAW 850 or Nexo ALPHA are welcome

Monitor : Nexo PS 15 as Side Fill minimal EV wedges
or
included at back of House with digital delay line as back fill

FOH

Desk : minimal 4 line stereo channel mixer Pioneer DJM 500
nominal 6 mono channels 4 parametric 2 Auxout 4 submaster
Yamaha Q1V digital or Midas 160 are welcome
minimal Mackie no Behringer

CD Player : 2 professional Player with single cue
Tascam or Dennon Double CD 2000 (2600)

Side Rack : high quality Stereo EQ 31 band Klark or DB or similar
Compressor
Multi Effekt
Noise Gate

DI Box : 2 Klark aktive
(used for I Book headphone out to terminate beamer effects)

Video

Beamer : min 5000 Ansi Lumen nominal 7500 Ansi
Sanyo 46 or Eiki 7500 are welcome
projection distance 25 m normal zoom lens system 0,8 – 2-7
projection distance 15 m wide angle zoom

projection requirements at stage back 12m width 3 m height
(rest 6 m (4/3) of projection is used as ambient on stage)
at 2 m from front of house 3 m height

normal mounting position 25 m depth from stage end 5 m height &DMX Shutter

Technical Rider Streetlife

Light

Desk : min MA lightcomander 24 / II wide modus better MA Li Co 48/II
Channel faders min 48 Channels for online editing
Submasters min 12 6 Pages Crossfader and Sequences

Light

Dimmer: 60 Dimmer Channels min 2,5 KW

Fixtures 42 1 KW PC Strand Cantata
12 2 KW Fresnel Strand or Ari
6 PROFILER Zoom Selecon Pacific (Etc;Strand)
4 Par 64 500W / 1 KW Cp 62 /88
6 1 KW Floods Aurora asyetric
10 floor stands

color geals Lee 202 ; 206 ; 079 ;101 ,153 , gobo

Time Shedule

Stage Elements / Moving Walls mounting time	2 hours
Lights	6 hours
Programming cue to cue	3 hours
Video calibration & programming	3 hours


Man Power

1 light technican
1 sound technican
2 stage hands

Kontakt


Roger Irman
Mobil.: +49 157 74161550
E-Mail: rogerirman@yahoo.de

Bodenplan



-  Fresnel 1 KW
-  Profiler Zoom -60 grad 676 HPE oder Par 64 Cp 61 really narrow

CHROMAPARQUE	Streetlife Renegade Theatre	Zahn.Nr: 20051105-002 2005 Nov 05
4019 87018 WIEDENFELDEN		



- PC 1KW Pos +4 8,8,10,11,13
- Fies 1KW Pos +2 8,9,10,11 +4 12,13,14,15,16
-1 1,2,3,4
- Fies 1KW Pos -1 5,6,7 +4 17,18,19,20
alte 21,22,23,24.
+3 41,42
- Sauros Pw od Pc 40
- pos 4,5,6,7,8,9,10,11,12,13
29,22,21,20,19,18
- colour 202
- Zoom 97,38
- 206/103
- 135
- 103 straw

CHROMAPARQUE **RENEGADE THEATRE STREETLIFE**

PL07 No. 20051005-001
Date 2005 Nov 05